

CLAIMS

I claim:

- 1 1. A method for delivering data over coupled computer networks, comprising:
 - 2 providing a subscription media server including a data compression software algorithm,
 - 3 wherein the media server is connected to at least two computer networks and the data
 - 4 compression software algorithm is variable according to a data transfer rate of a network
 - 5 connection;
 - 6 transferring media data to the media server along a first computer network;
 - 7 compressing the media data according to a data transfer rate of a connection to a second
 - 8 network, wherein compressing the media data is characterized by preparing the media data to be
 - 9 displayed contemporaneously by a client computer during a transfer of the media data to the
 - 10 client computer;
 - 11 transferring compressed media data along the second network to a client computer
 - 12 connected to the second network; and
 - 13 monitoring the media server over the first computer network.
- 1 2. A method for delivering data over coupled computer networks, comprising:
 - 2 distributing at least one subscription media server over a computer network, wherein the
 - 3 data server is connectable to an open, public portion of the network and a private portion of the
 - 4 network;
 - 5 transferring data along the public portion of the network to the at least one media server;
 - 6 aggregating data on the at least one data server;

transferring data from the at least one media server to a client computer along the private portion of the network, wherein the transferred data is displayable on the client computer contemporaneous with the transferring along the private portion of the network; and monitoring the server over the public portion of the network.

3. The method of claim 2, further comprising compressing the media data according to a data transfer rate of the private portion of the network.

4. A method for providing delivery of data over coupled computer networks, comprising:
distributing at least one subscription media server over a computer network, wherein the data server is connectable to a private portion of the network and isolated from an open, public portion of the network;
transferring data along the public portion of the network to the at least one media server;
aggregating data on the at least one data server;
transferring data from the at least one media server to a client computer along the private portion of the network; wherein the transferred data is displayable on the client computer contemporaneous with the transferring along the private portion of the network; and monitoring the server over the public portion of the network.

5. The method of claim 4, further comprising compressing the media data according to a data transfer rate of the private portion of the network.

6. A method for providing streaming media data over a computer network, comprising:
placing media data files on a staging server connected to a private computer network;

3 associating media data files on the staging server with a permissible client distribution
4 list; and
5 publishing the media data files to a media server connected to a open, public computer
6 network;
7 receiving a request for a media data file over the public computer network;
8 verifying the request according to the distribution list; and
9 transferring media data from a media server to a verified client computer over the public
10 computer network, wherein the transferred data is displayable on the client computer
11 contemporaneous with the transferring of data along the public computer network.

1 7. A method for providing streaming media data over a computer network, comprising:

2 placing media data files on a staging server connected to a first private computer network;
3 associating the media data files on the staging server with a permissible client distribution
4 list;
5 publishing the media data files to a media server connected to a open, public computer
6 network;
7 copying media data files according to the client distribution list to a second server
8 connected to the open, public computer network and a second private computer network;
9 receiving a request for a media data file over the second private computer network; and
10 transferring media data from the second server to a client computer over the second
11 private computer network, wherein the transferred data is displayable on the client computer
12 contemporaneous with the transferring of data along the second private computer network.

1 8. The method of claim 7, further comprising receiving third-party channel media data at the
2 second server over the open, public computer network.

1 9. A method for providing streaming media data over a computer network, comprising:
2 placing media data files on a staging server connected to a first private computer network;
3 associating the media data files on the staging server with a permissible client distribution
4 list;
5 publishing the media data files to a media server connected to a open, public computer
6 network;
7 copying media data files according to the client distribution list to a second server
8 connected to the open, public computer network and a second private computer network;
9 copying a portion of the media data files to at least one sub-net server connected to a local
10 portion of the second private computer network;
11 receiving a request for a media data file over the second private computer network;
12 determining a sub-net server to respond to the request according to an origin of the
13 request; and
14 transferring media data from the sub-net server to a client computer along a local sub-net
15 portion of the second private computer network, wherein the transferred data is displayable on
16 the client computer contemporaneous with the transferring of data along the portion of the second
17 private computer network.

1 10. The method of claim 9, further comprising receiving third-party channel media data at the
2 second server over the open, public computer network.